

Crompton



**Crompton
Water Heater
Yaani Perfect
Hot Heater**

Crompton

Hot Heater
Yani Perfect
Water Heater
Crompton





Crompton

FROM THE HOUSE OF CROMPTON

Crompton manufactures and markets a broad spectrum of consumer products ranging from fans, light sources, luminaries, pumps and household appliances such as geysers, mixer grinders, toasters, irons, etc.

With manufacturing locations in Goa, Vadodara, Ahmednagar, Baddi, and around 1,50,000 retail points across the country, Crompton is the market leaders in fans, domestic pumps, and street lighting for over 20 years.

Crompton has its In- House R & D set up where we strive to deliver innovative products with continuous improvement.


Then the products passes through stringent quality processes and certification of BEE and ISI to deliver high quality products to your doorstep.

And we have a service network of 365+ touch points to give seamless service throughout the country.

1.5Lac
RETAIL POINTS ACROSS
THE COUNTRY


20yrs
LEGACY IN DOMESTIC
MARKET

365+
TOUCH POINTS OF
SERVICE NETWORK




CROMPTON WATER HEATER COMPONENTS

Storage Water heater



HOW WATER HEATER WORKS



- 1 Tank is filled with cold water through inlet pipe
- 2 Heating Element heats up the water until water reaches the desired temperature set by the thermostat
- 3 As water temperature increase, hot water rises above the denser cold water at the top of the tank
- 4 Now hot water can be accessed through out-let pipe
- 5 Water Heater is covered with heat insulation material, that prevents heat loss from hot water & keep it hotter for a longer time & does helps in energy saving



Smart Shield Magnesium Anode

Rust free Body

Powerful heating element


Superior Tank coating

BENEFITS OF HOT WATER



RANGE OF STORAGE WATER HEATERS

HIGH PERFORMANCE



Designed for extreme conditions



TRIPLE SHIELD PROTECTION FROM HARD WATER



Xtra safe



Smart energy Management



Works even in **high storey building**

VALUE



Fast heating with efficiency



Powerful heating Element




Smart energy Management



5 star rated Energy efficient

HIGH PERFORMANCE



Designed for xtreme conditions



TRIPLE SHIELD PROTECTION FROM HARD WATER



It protects the tank from corrosion with the help of advanced coating developed by baking the tank above to 875°C allowing tank to function in tough conditions of Hard water

Glass line tank




Acts as a safeguard & protects the tank from corrosion

Smart Shield Magnesium Anode Protector



33% Xtra long life as it has excellent oxidation resistance even in high temperature and thus has anti scaling property

Blue Glass line enamel Incoloy heating element




Smart energy management

Smart design with Standby cut off that consumes less electricity




10 bar pressure

Suitable for high-rise building



Xtra safe

Precision sensing device with capillary type thermostat and thermal cut out that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction



5 star rated energy efficient

High Grade Eco- friendly Puf insulation ensures high heat retention and thus reducing your electricity bills

SOLARIUM NEO HIGH PERFORMANCE WATER HEATER



HARD WATER PROTECTION



Superior Glassline coating



Advanced 3 level precision safety



Incoloy heating element



Energy saving Insitu PUF



Rust proof Body



10 Bar pressure

Available in
6L, 10L, 15L, 25L

Warranty
7yrs
Tank

3yrs
Element

2yrs
Product

*6L is available in 4 star 10L, 15L, 25L are in 5 Star



VALUE

Fast heating with efficiency



Powerful heating element

These water heaters have 1200 gm superior heating element for faster heating. Achieve 45° C temperature in 10 mins



Smart energy management

Smart design with Standby cut off that consumes less electricity



5 star rated energy efficient

High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills



8 Bar Pressure



Rust proof Body

Solarium Qube



Superior Polymer coating



Advanced 3 level safety



Powerful heating element



Smart LED indicator

Available in 15L and 25L

WARRANTY

7yrs

Tank

2yrs

Element

2yrs

Product



8 Bar pressure



Rust proof body

Solarium Aura



Superior Glassline coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 6L, 10L, 15L and 25 L

WARRANTY

5yrs

Tank

2yrs

Element

2yrs

Product

*6L in 4 star



8 Bar pressure



Rust proof Body

Regallio



Superior glassline coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 10L, 15L and 25 L

WARRANTY

5yrs

Tank

2yrs

Element

2yrs

Product



8 Bar pressure



Powder coated metallic body

Amica



Superior Polymer coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 10L, 15L and 25L

WARRANTY

7yrs

Tank

2yrs

Element

2yrs

Product



8 Bar pressure



Powder coated metallic body

Arno Neo



Superior Polymer coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 6L, 10L, 15L and 25L

WARRANTY

5yrs

Tank

2yrs

Element

2yrs

Product

OTHER RANGE

MULTIFIT

Patented design with 8-in-1 fitment options



Universal fitment



New Technology



Hassle Free Installation



Superior Glassline coating



Powerful dual heating element



Rust proof body



Advanced 3 level Safety



Energy saving Insitu PUF



8 Bar pressure

Available in
10L, 15L & 25L

Warranty

5yrs

Tank

2yrs

Element

2yrs

Product

*10L and 15L in 4 star and 25L in 3 star

INSTANT WATER HEATER

Solarium Neo

- High grade SS tank to protect from corrosion
- Weldless tank for corrosion free long life
- Powerful heating element
- Advanced 4 level safety
- Compact design

Available in 3L: 3KW & 4.5KW

WARRANTY

5yrs
Tank

2yrs
Product



- ISI Marked for added safety
- 6.5 Bar Pressure
- Rust Proof Body

Rapidjet Plus

- High grade SS tank to protect from corrosion
- Advanced 4 level safety
- Powerful heating element
- Weldless tank for corrosion free long life

Available in 1L: 3KW, 4.5 KW & 3L: 3KW, 4.5KW

WARRANTY

5yrs
Tank

2yrs
Product



- ISI marked for added safety
- Withstand upto 8 bar pressure
- Rust proof body

Rapidjet

- High grade SS tank to protect from corrosion
- Advanced 4 level safety
- Powerful heating element
- Weldless tank for corrosion free long life

Available in 1L: 3KW, 4.5 KW & 3L: 3KW, 4.5KW

WARRANTY

5yrs
Tank

2yrs
Product



- ISI marked for added safety
- 6.5 Bar pressure
- Rust proof body

Solarium Vogue

- High grade SS tank to protect from corrosion
- Weldless tank for corrosion free long life
- Powerful heating element
- Advanced 4 level safety
- Smart LED indicator

Available in 3L: 3KW

WARRANTY

5yrs
Tank

2yrs
Product

















- ISI Marked for added safety
- 6.5 Bar Pressure
- Rust Proof Body

HOW TO CHOOSE YOUR WATER HEATER

Key things you should know when selecting your water heaters

What should be the **capacity of the water heater**?

The capacity of the water heater depends on the kind of usage:

Instant Water Heater	Instant Water Heater	Storage Water Heater	Storage Water Heater	Storage Water Heater	Storage Water Heater	Storage Water Heater
						
Bathing – bucket	Washing utensils	Bathing – Shower	Bathing – bucket	Bathing – bucket	Bathing – bucket	Bathing – Shower
 Pleasant weather	 Cold weather	 Pleasant weather	 Cold weather	 Cold weather	 Pleasant weather	 Cold weather
3 Members	6 Members	4 Members	3 Members	6 Members	6 Members	6 Members
1-3L Suggested Capacity	1-3L Suggested Capacity	6L Suggested Capacity	10-15L Suggested Capacity	15L Suggested Capacity	6-10L Suggested Capacity	25L Suggested Capacity



SERIES		HIGH PERFORMANCE	VALUE					OTHER RANGE	INSTANT			
ADVANCE FEATURES		SOLARIUM NEO	SOLARIUM QUBE	AMICA	REGALLIO	ARNO NEO	SOLARIUM AURA	MULTIFIT	SOLARIUM VOGUE	SOLARIUM NEO	RAPIDJET	RAPIDJET PLUS
Pressure Rating	Safety Valve	10 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	6.5 BAR	6.5 BAR	6.5 BAR	6.5 Bar , withstand 8 Bar
TANK	MS_Glassline Coating	✓			✓		✓	✓				
	MS_Polymer Coating		✓	✓		✓						
	SS							✓	✓	✓	✓	✓
Heating Element	Incoloy + GL Coating	✓										
	Copper + Ni Coating		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Thermostat	High precision Capillary	✓	✓	✓	✓	✓	✓	✓				
	Stem Mechanical								✓	✓	✓	✓
Temp Adjustable Knob	Temp Control	✓	✓	✓	✓	✓	✓	✓				
Thermal Cut off	High precision Capillary	✓										
	Stem Mechanical		✓	✓	✓	✓	✓		✓	✓	✓	✓
	Mechanical - Disc							✓				
Anode Rod	MgO	✓	✓	✓	✓	✓	✓	✓				
Mounting	Position on Wall	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Floor /Wall - Horizontal	Vertical	Vertical	Vertical	Vertical
	BEE /ISI	6L-4 Star 10L, 15L, 25L-5 Star	5 Star	5 Star	5 Star	5 Star	6L-4 Star 10L, 15L, 25L-5 Star	10L, 15L-4 Star 25L-5 Star	ISI	ISI	ISI	ISI
SPECIFICATIONS												
Power (kW)		2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	3000 W	3000W	3000 W/ 4500 W	3000 W/ 4500 W
Capacity (Liters)		6L, 10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	6L, 10L,15L, 25L	6L, 10L, 15L, 25L	10L, 15L, 25L	3L	3L	1L, 3L	1L, 3L
AESTHETICS												
Color		Ivory	White	White	White	White	White	White	White	Ivory	White	White
Body		Plastic	Plastic	Plastic+SheetMetal	Plastic	Plastic+Sheet Metal	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
WARRENTY												
Tank		7	7	7	5	5	5	5	5	5	5	5
Heating Element		3	2	2	2	2	2	2	2	2	2	2
Product		2	2	2	2	2	2	2	2	2	2	2
Dimensions (in mm)		270 x 290 x 370 - 6L 290 X 310 X 460 - 10L 290 x 310 x 490 - 15L 370 x 380 x 610 - 25L	400 x 390 x 420 - 15L 415 x 415 x 420 - 25L	300 x 325 x 455 - 10L 360 x 360 x 490 - 15L 350 x 370 x 595 - 25L	334 x 334 x 380 mm -10L 334 x 334 x 480 mm - 15L 380 x 380 x 550 mm - 25L	275 x 290 x 330 - 6L 315 x 330 x 362 - 10L 315 x 325 x 450 - 15L 350 x 360 x 550 - 25L	255 x 275 x 425 - 6L 310 x 315 x 525 - 10L 345 x 350 x 485 - 15L 375 x 360 x 635 - 25L	533 x 315 x 315 - 10L 678 x 315 x 315 - 15L 958 x 315 x 315 - 25L	190 x 190 x 385	191 x 190 x 385	202 x 196 x 347 - 3L 170 x 165 x 320 - 1L	203 x 196 x 347 -3L 170 x 165 x 320 - 1L
Net Weight (in Kgs)		6.10 Kgs - 6L 7.38 Kgs - 10L 9.28 Kgs - 15L 13.10 Kgs - 25L	7.7 KGS - 15L 9.5 KGS - 25L	6.65 Kgs - 10L 8.16 Kgs - 15L 9.9 Kgs - 25L	7.3 Kgs - 10L 8.6 Kgs - 15L 9.1 Kgs - 25L	5.2 Kgs - 6L 6.2 Kgs - 10L 7.8 Kgs - 15L 9.5 Kgs - 25L	5.8 Kgs - 6L 7.9 Kgs - 10 L 8.9 Kgs - 15L 11.8 Kgs - 25L	9.2 Kgs - 10L 11.2 Kgs - 15L 14.7 Kgs - 25L	2.8 Kgs	2.7 Kgs	2.4 Kgs- 3L 2.1 Kgs - 1L	2.4 Kgs- 3L 2.1 Kgs - 1L

*All storage water heaters are in compliance with BEE 2019-20 norms

Crompton

CROMPTON GREAVES CONSUMER ELECTRICALS LIMITED

Registered Office:

Equinox Business Park, 1st Floor, Tower 3, LBS Marg, Kurla(W), Mumbai-400 070, India

CUSTOMER SERVICE

In Crompton, through our commitment to service, we aim to exceed expectations and get rewarded with a smile. Our after-sales service team is dedicated to deliver excellent services and meet unique customer needs.



Crompton service executive will schedule a service appointment within 24 hours of your calling to our toll-free number **1800-419-0505**



Once the service appointment is fixed, our qualified and trained Crompton service technician will visit & your product problem will be resolved within **24 to 48 Hours**

Disclaimer – While every effort has been taken to ensure that all specifications and description are correct, this brochure should not be regarded as infallible guide not as an offer of sales for a particular product. Due to variables in production process, colours of actual products may vary slightly from those depicted. Model numbers and specifications are for reference only, may subject to change without prior notice.